


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1-44. (Canceled)

45. (Currently amended) A composition comprising a dispersion having at least one aqueous phase having a pH of between 4 and 9, a population B of particles bearing isocyanates groups and a population A of latex particles of polymer or of copolymer having acidic and hydroxyl functional groups whose particle size is between 10 and 1000 nanometers, wherein the particles have an accessible acidic functional group content, being the acidic functional groups, which are at most 5 nanometers from the surface of the particle- continuous aqueous phase interface, of between 0.2 and 1.2 milliequivalents/gram of solid matter, and an accessible alcoholic functional group content, being the hydroxyl functional groups, which are at most 10 nanometers from the surface of the particle-continuous aqueous phase interface, ~~of between 0.3 and 1.5 milliequivalents/gram,~~ and wherein said polymer or copolymer particles are originated from a copolymerization between at least one free acid monomer containing an activated ethylenic bond and at least one free alcohol, and, wherein a unit originating from said free alcohol monomer contains an activated ethylenic functional group which has a content of between 3 and 15 % (mole), ~~said composition comprising a population B of particles bearing isocyanate functional group(s).~~



RN95059D2

Serial number 09/905,121

AMENDMENT

46. (Currently amended) A composition according to claim ~~47~~ 45, wherein the said isocyanate functional groups are masked.

47. (Canceled)

48. (Previously presented) A composition according to claim 45, wherein the mass ratio of the populations A and B is such that the ratio of the alcohol functional groups to the isocyanate functional groups is between 0.1 and 10.

49. (Previously presented) A composition according to claim 48, wherein the ratio of the alcohol functional groups to the isocyanate functional groups is between 0.3 and 5.

50. (Previously presented) A composition according to claim 45, wherein the population B constitutes an emulsion with the aqueous phase.

51. (Canceled)

52-60. (Canceled)

61. (Currently amended) A composition comprising a dispersion having at least one aqueous phase having a pH of between 4 and 9 and a population A of latex particles of polymer or of copolymer having acidic and hydroxyl functional groups whose particle size is between 10 and 1000 nanometers, wherein the particles have an accessible acidic functional group content, being the acidic functional groups, which are at most 5 nanometers from the surface of the particle- continuous aqueous phase interface, of between 0.2 and 1.2 milliequivalents/gram of solid matter, and an accessible alcoholic functional group content, being the hydroxyl functional groups,

RN95059D2

Serial number 09/905,121

AMENDMENT

which are at most 10 nanometers from the surface of the particle-continuous aqueous phase interface, ~~of between 0.3 and 1.5 milliequivalents/gram, and~~ wherein said polymer or copolymer particles are originated from a copolymerization between at least one free acid monomer containing an activated ethylenic bond and at least one free alcohol, and, wherein a unit originating from said free alcohol monomer contains an activated ethylenic functional group which has a content of between 3 and 15 % (mole), and said composition comprising isocyanates.

62. (Previously presented) A composition according to claim 61, wherein the isocyanates are soluble or insoluble in the aqueous phase.

63. (Canceled)